

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L26 | 1 | ("4214353").PN. | USPAT; USOCR | OR | OFF | 2008/08/14 12:40 |
| L25 | 12 | ("5347712" "5378869" "5548099" "5558928" "5614114" "5640761" "5841099" "5953029" "6192581" "6282782" "6303881" "6320140").PN. OR ("6523257").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/14 12:16 |
| L24 | 2 | ("4514784").PN. OR ("4927370").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/14 12:06 |
| L23 | 2 | (("4185378") or ("6585903")).PN. | USPAT; USOCR | OR | OFF | 2008/08/14 11:50 |
| L22 | 1 | ("4185378").PN. | USPAT; USOCR | OR | OFF | 2008/08/14 11:48 |
| L21 | 94 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) with (offset) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:27 |
| L20 | 437 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) with (offset away shift\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:26 |
| L19 | 30 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) with away same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:24 |
| L18 | 15 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) with away with drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:23 |
| L17 | 3 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) with shift with drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:23 |

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| L16 | 10 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) with offset with drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:17 |
| L15 | 1083 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) with drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:17 |
| L14 | 1154 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole open\$3) same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:17 |
| L13 | 1126 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture hole recess) same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:16 |
| L10 | 2 | ((circuit adj board) (printed adj circuit adj board) pcb) same ((aperture with hole) with (off\$1center offset)) same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:44 |
| L9 | 1 | ((circuit adj board) (printed adj circuit adj board) pcb) same ((aperture with hole) with offset) same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:41 |
| L8 | 11 | ("3801388" "4404059" "4601916" "5544773" "5590460" "5738797" "5763060" "5863446").PN. OR ("6585903").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/14 10:39 |
| L7 | 46 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (aperture with hole) same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 09:54 |
| L6 | 15 | "29"/\$.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (blind adj hole) same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 09:23 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| L5 | 7 | ("3301939" "3875479" "5046957" "5363280" "5543586" "6522014").PN. OR ("7218530").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/14 09:15 |
| L4 | 11 | 29/831,846,852,830.ccls. and ((circuit adj board) (printed adj circuit adj board) pcb) same (blind adj hole) same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 09:14 |
| L3 | 3 | wave adj soldering adj facility | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 09:02 |
| L2 | 1 | ("4214353").PN. | USPAT; USOCR | OR | OFF | 2008/08/14 08:56 |
| L1 | 1 | ("4214120").PN. | USPAT; USOCR | OR | OFF | 2008/08/14 08:44 |
| S37 | 1 | ("4185378").PN. | USPAT; USOCR | OR | OFF | 2008/08/13 17:43 |
| S36 | 1 | "29"/\$.ccls. and wave adj soldering adj facility | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:03 |
| S35 | 1 | "439"/\$.ccls. and wave adj soldering adj facility | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:59 |
| S34 | 3 | "439"/\$.ccls. and reflow adj solder adj oven | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:52 |
| S33 | 18 | "439"/\$.ccls. and solder adj oven | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:50 |
| S32 | 1 | 29/831,846,852,830.ccls. and reflow adj soldering adj oven | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:50 |

| | | | | | | |
|-----|----|---|---|----|-----|---------------------|
| S31 | 0 | "439"/\$.ccls. and solder adj overn | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:49 |
| S30 | 0 | "29"/\$.ccls. and solder adj overn | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:46 |
| S29 | 0 | 29/831,846,852,830.ccls. and solder adj overn | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:46 |
| S28 | 0 | 29/831,846,852,830.ccls. and reflow adj solder adj overn | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:46 |
| S27 | 0 | 29/831,846,852,830.ccls. and reflow adj soldering adj overn | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 16:46 |
| S26 | 0 | ("2008/0119041").URPN. | USPAT | OR | OFF | 2008/08/13 16:32 |
| S25 | 2 | ("3528173").PN. | USPAT; USOCR | OR | OFF | 2008/08/13 13:46 |
| S24 | 31 | 3528173" | US-PGPUB; USPAT; USOCR; DERWENT | OR | OFF | 2008/08/13 13:45 |
| S23 | 12 | S22 and drill | US-PGPUB; USPAT; USOCR; DERWENT | OR | OFF | 2008/08/13 12:58 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S22 | 45 | (US-20080119041-\$ or US-20070029108-\$ or US-20070010086-\$ or US-20050121225-\$ or US-20050016763-\$ or US-20040216838-\$ or US-20040144564-\$ or US-20040142161-\$ or US-20040025333-\$ or US-20020162214-\$).did. or (US-6530279-\$ or US-4859188-\$ or US-4185378-\$ or US-3670409-\$ or US-3528173-\$ or US-3079577-\$ or US-7216422-\$ or US-7178234-\$ or US-7089660-\$ or US-6889432-\$ or US-6745463-\$ or US-6486394-\$ or US-RE37840-\$ or US-6162365-\$ or US-6243946-\$ or US-6119335-\$ or US-6803528-\$ or US-6467160-\$ or US-5699613-\$ or US-5263243-\$ or US-5672226-\$ or US-5557844-\$ or US-4854040-\$ or US-4642160-\$ or US-4487654-\$ or US-3932932-\$).did. or (US-5414224-\$ or US-4950173-\$ or US-7016200-\$ or US-6655969-\$).did. or (US-3296099-\$ or US-2958064-\$).did. or (US-6530279-\$ or WO-8903165-\$ or EP-130719-\$).did. | US-PGPUB; USPAT; USOCR; DERWENT | OR | OFF | 2008/08/13 12:57 |
| S21 | 59 | ("3619478" "3670409" "4138604" "4487465").PN. OR ("4950173").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 12:53 |
| S20 | 99 | 29/831,846,852,830.ccls. and foil near5 laser | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 12:00 |
| S19 | 191 | 29/831,846,852,830.ccls. and foil with laser | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 12:00 |
| S18 | 19 | S17 and laser | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2008/08/13 11:55 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S17 | 44 | (US-20080119041-\$ or US-20070029108-\$ or US-20070010086-\$ or US-20050121225-\$ or US-20050016763-\$ or US-20040216838-\$ or US-20040144564-\$ or US-20040142161-\$ or US-20040025333-\$ or US-20020162214-\$).did. or (US-6530279-\$ or US-4859188-\$ or US-4185378-\$ or US-3670409-\$ or US-3528173-\$ or US-3079577-\$ or US-7216422-\$ or US-7178234-\$ or US-7089660-\$ or US-6889432-\$ or US-6745463-\$ or US-6486394-\$ or US-RE37840-\$ or US-6162365-\$ or US-6243946-\$ or US-6119335-\$ or US-6803528-\$ or US-6467160-\$ or US-5699613-\$ or US-5263243-\$ or US-5672226-\$ or US-5557844-\$ or US-4854040-\$ or US-4642160-\$ or US-4487654-\$ or US-3932932-\$).did. or (US-5414224-\$ or US-4950173-\$ or US-7016200-\$).did. or (US-3296099-\$ or US-2958064-\$).did. or (US-6530279-\$ or WO-8903165-\$ or EP-130719-\$).did. | US-PGPUB; USPAT; USOCR; DERWENT | OR | OFF | 2008/08/13 11:55 |
| S16 | 22 | ("3022480" "3275736" "3528173" "3619478" "3745513" "3832769" "3882264" "3893233" "4086426").PN. OR ("4185378").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 11:10 |
| S15 | 90 | ("2958064" "2965812" "3022480" "3024151" "3038105" "3079577" "3200020" "3216089" "3275736").PN. OR ("3670409").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 10:42 |
| S14 | 2 | ("4950173").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/13 10:27 |
| S13 | 37 | ("3296099").URPN. | USPAT | OR | OFF | 2008/08/13 10:18 |

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S12 | 14 | ("4933045" "5232548" "5258094" "5263243" "5699613").PN. OR ("6119335").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 09:59 |
| S11 | 24 | ("20010012800" "3079577" "3528173" "3670409" "4185378" "4859188" "4894018" "4950173" "5046954" "6530279").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/12 16:18 |
| S10 | 133 | 29/831,846,852,830.ccls. and ((circuit adj board) (printed adj circuit adj board) (pcb) same foil same drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/12 15:56 |
| S9 | 605 | 29/831,846,852,830.ccls. and ((circuit adj board) (printed adj circuit adj board) (pcb) and foil and drill\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/12 15:56 |
| S8 | 938 | 29/831,846,852,830.ccls. and ((circuit adj board) (printed adj circuit adj board) (pcb) and (bore hole opening) and foil | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/12 15:53 |
| S7 | 2602 | 29/831,846,852,830.ccls. and ((circuit adj board) (printed adj circuit adj board) (pcb) and (bore hole opening) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/12 15:53 |
| S5 | 3327 | 29/831,846,852,830.ccls. and ((circuit adj board) (printed adj circuit adj board) (pcb) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/12 15:52 |
| S4 | 2596 | (29/830).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/12 15:36 |
| S3 | 1906 | (29/852).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/12 15:36 |

| | | | | | | |
|----|------|----------------|---|----|-----|---------------------|
| S2 | 3113 | (29/846).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/12 15:36 |
| S1 | 1258 | (29/831).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/12 15:36 |

8/14/2008 12:45:01 PM

C:\Documents and Settings\Tchambers1\My Documents\EAST\Workspaces\10572953.wsp